

Package: FastSegmentation (via r-universe)

June 9, 2026

Title Unsupervised Cell Segmentation by Fast Gaussian Processes

Version 0.0.1

Author Blythe King [aut, cre], Haoran Yan [aut], Laura Baracaldo [aut], Mengyang Gu [aut]

Maintainer Blythe King <blyking@gmail.com>

Description Performs fast Gaussian process-based segmentation of microscopy images using spatial smoothing and data-driven thresholding. Code based on Baracaldo, L., King, B., Yan, H., Lin, Y., Miolane, N., & Gu, M. (2025). ``Unsupervised cell segmentation by fast Gaussian processes." arXiv preprint <doi:10.48550/arXiv.2505.18902>.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.3

Imports EBImage, stats, magick, pracma, RobustGaSP

Suggests plot3D

NeedsCompilation no

Config/pak/sysreqs cmake libfftw3-dev make libmagick++-dev gsfonts libjpeg-dev libpng-dev libtiff-dev libuv1-dev libssl-dev

Repository https://blytheking.r-universe.dev

Date/Publication 2026-06-08 17:40:07 UTC

RemoteUrl https://github.com/cran/FastSegmentation

RemoteRef HEAD

RemoteSha c3cacb7c943a5c9a5fb30aa63a802147a1dd18ec

Contents

critterion_1	2
eliminate_small_areas	3
generate_GP_Masks	3

get_proportion	5
matrix_which	6
predict_separable_GP	6
separable_GP_param_est	7
threshold_image	8

Index	9
--------------	----------

criterion_1	<i>Determining optimal threshold by criterion 1</i>
-------------	---

Description

Estimates the optimal threshold using criterion 1.

Usage

```
criterion_1(predmean_mat, delta = 0.01, nugget = TRUE)
```

Arguments

predmean_mat	Predictive mean matrix of image
delta	Step size for percentages to be tested for criterion 1; default is 0.01
nugget	boolean to estimate nugget in robust GaSP model; default is TRUE

Value

Returns a list containing:

thresholded_image	Binary matrix after applying optimal threshold
pixel_counts	Sum of foreground pixels detected for each percentage threshold
diff_pixel_counts	Absolute difference in binary matrix between consecutive percentage thresholds
grad_mag	Gradient magnitude.
estimated_percentage	Estimated optimal threshold by criterion 1

eliminate_small_areas *Eliminating Noise and Small Foreign Object Masks from Cell Mask Matrix*

Description

Filters object masks from from noise or foreign objects that are significantly smaller than the estimated cell size. All objects smaller than a certain threshold based on the mean mask size are removed.

Usage

```
eliminate_small_areas(  
    GP_masks,  
    middle_threshold = 0.15,  
    boundary_threshold = 0.05  
)
```

Arguments

GP_masks	Cell mask matrix
middle_threshold	Size threshold for filtering objects not touching the image boundary (removes anything smaller than threshold * mean mask size); default is 0.15
boundary_threshold	Size threshold for filtering objects touching the image boundary (removes anything smaller than threshold * mean mask size); default is 0.05

Value

Returns a cell mask matrix with masks from small foreign objects or noise removed

generate_GP_Masks *Generate cell masks by fast Gaussian processes*

Description

Generates object masks for cell microscopy images using fast Gaussian processes for smoothing, a data-driven threshold for foreground/background segmentation, and watershed for separating touching cell objects. Note that this function divides the original image into sections for more robust processing.

Usage

```

generate_GP_Masks(
  file_path,
  delta = 0.01,
  nugget = TRUE,
  middle_threshold = 0.15,
  boundary_threshold = 0.05,
  compress_output = FALSE,
  return_gradient = FALSE,
  seed = NULL
)

```

Arguments

file_path	File path for cell image to segment
delta	Step size for percentages to be tested for criterion 1 (default is 0.01)
nugget	Nugget boolean for rgasp()
middle_threshold	Size threshold for filtering object masks not touching the image boundary (removes anything smaller than threshold * mean mask size); default is 0.15
boundary_threshold	Size threshold for filtering object masks touching the image boundary (removes anything smaller than threshold * mean mask size); default is 0.05
compress_output	Determines if binary and cell mask results should be represented in matrix (FALSE) or list (TRUE) form; default is FALSE
return_gradient	Returns vertical, horizontal, and magnitude gradients for predictive mean if TRUE; default is FALSE
seed	Seed for reproducibility (default is NULL)

Value

Returns a list containing:

ori_images	Original version of sectioned image
processed_images	Predictive mean for each image section
gradients	Vertical, horizontal, and magnitude gradients for predictive mean if return_gradient is TRUE
crit_1_opt_thresholds	Optimal threshold by criterion 1 for each image section
connected_parts_count	Number of unique objects for each image section after thresholding before watershed
outliers	IDs for thresholded image section that contains unusually large object counts

combined_predmean	Predictive mean matrix for entire image
combined_thresholded1	Binary matrix for entire image before watershed
GP_masks	Cell masks for entire image after thresholding binary matrix, with each cell mask having a unique ID

Examples

```
# Example: Segmentation of JPEG nuclear channel image
img_path <- system.file("extdata", "example_cells_small.jpg", package = "FastSegmentation")
gp_masks_result <- generate_GP_Masks(img_path)
```

get_proportion	<i>Dynamically determine row and column proportions</i>
----------------	---

Description

Decides how many sections the original image should be split into before processing. A target sub-image size can be specified, and this function will return how many divisions should be made in one dimension.

Usage

```
get_proportion(size, target_min = 200, target_max = 400)
```

Arguments

size	Row or column length
target_min	Minimum sub-image size; default is 200
target_max	Maximum sub-image size; default is 400

Value

Fraction that image section should take up of dimension; if no suitable fraction is determined, 1/4 is selected by default

matrix_which	<i>Get coordinate information for matrices</i>
--------------	--

Description

Compresses matrix outputs into a data frame containing coordinates for each value. This is used for compressing the binary and cell mask outputs in the generate_GP_Masks function.

Usage

```
matrix_which(mat)
```

Arguments

mat	Numeric matrix
-----	----------------

Value

Data frame containing each 2D coordinate and corresponding value

predict_separable_GP	<i>Generating predictive mean from image matrix</i>
----------------------	---

Description

Generates the predictive mean for an image matrix using a Gaussian process.

Usage

```
predict_separable_GP(output_mat, parameters, seed = NULL)
```

Arguments

output_mat	Image matrix
parameters	Range and nugget parameters estimated using separable_GP_param_est()
seed	Seed for reproducibility (default is NULL)

Value

Returns a list containing:

predmean_mat	Predictive mean matrix
grad1	Horizontal gradient
grad2	Vertical gradient
grad_magnitude	Gradient magnitude
param	Gaussian parameters

Examples

```
# File path to TIF, PNG, or JPEG image
library(magick)
img_path <- system.file("extdata", "example_cells.jpg", package = "FastSegmentation")
img <- image_read(img_path)
img_matrix <- as.numeric(img[[1]])[1:100,1:100,1]

# GP parameter estimation
img_gp_parameters <- separable_GP_param_est(img_matrix)

# Predictive mean and gradient calculation
predmean_results <- predict_separable_GP(img_matrix, img_gp_parameters$param)
```

separable_GP_param_est

Estimate nugget and range parameters for predictive mean of an image matrix

Description

Estimates the nugget and range parameters of the Gaussian process for constructing the predictive mean of the segmented paper via Eigendecomposition.

Usage

```
separable_GP_param_est(output_mat, seed = NULL)
```

Arguments

output_mat	Image matrix
seed	Seed for reproducibility (default is NULL)

Value

Returns a list containing the range and nugget parameters

threshold_image	<i>Setting a threshold to create a binary image matrix</i>
-----------------	--

Description

Sets a threshold based on quantile of pixel value to create a binary image matrix, where foreground pixels correspond with cell objects.

Usage

```
threshold_image(mat, percentage, count = TRUE)
```

Arguments

mat	Image matrix
percentage	Percentage cutoff for foreground and background pixels (estimated using <code>criterion_1()</code>)
count	Boolean to calculate sum of foreground pixels after thresholding; default is TRUE

Value

Returns either the sum of foreground pixels (when count is TRUE) or the binary matrix after thresholding (when count is FALSE)

Index

`criterion_1`, 2

`eliminate_small_areas`, 3

`generate_GP_Masks`, 3

`get_proportion`, 5

`matrix_which`, 6

`predict_separable_GP`, 6

`separable_GP_param_est`, 7

`threshold_image`, 8